

ESDEC

INNOVATIVE MOUNTING SYSTEMS

THE EFFICIENT SOLAR MOUNTING SYSTEM FOR SLOPED ROOFS

CLICKFIT

BASIC

CORRUGATED ROOF

www.esdec.com



CLICKFIT FOR CORRUGATED SHEET ROOFS


The patented ClickFit mounting system for corrugated sheets is an easy-to-install system for sloped roofs. The system distinguishes itself with its unique design and is therefore very easy to install without making any concessions to quality. The mounting system consists of hanger bolts, the patented mounting rails and the necessary mounting materials to mount the solar panels on the mounting rail. The ClickFit mounting system for corrugated sheets can be used for all types of corrugated sheets, including the commonly used fibre cement and steel corrugated sheets.

For optimum roof filling, the ClickFit mounting system can be constructed for use with a single-layer or a highly stable double-layered system.

- Fast and easy mounting
- Also available in a black finish
- 100% Dutch product
- 20-year guarantee
- BDA/KIWA-certified

Guaranteed quality!

ClickFit has been extensively tested and certified by BDA/KIWA and fully complies with the applicable requirements and standards of the NEN7250 and the Dutch Building Regulations [Nederlands Bouwbesluit]. The ClickFit mounting system for corrugated sheets comes with a unique 20-year guarantee, which guarantees the quality of the system and offers the certainty that is required.



ROOF FASTENERS



ClickFit Dowel screw	
M10x200mm	1003101
M12x300mm	1003103
M10x250mm	1003110
M10x210mm for steel	1003112
M10x250mm for steel	1003105

MOUNTING PROFILES



Clickfit Mounting rail*	
Mounting rail 3075mm	1001003
Mounting rail 6150mm	1001005



ClickFit Mounting rail end cap	
Black	1003030

* Other sizes available on request

FASTENING MATERIALS



ClickFit Serrated flange nut M8	
	1000721



ClickFit Screw M8 x 20mm	
	1000820

ClickFit Auxiliary assembly set – consisting of:
1009010



ClickFit Nut M6	
	1000600



ClickFit Bolt M6 x 20mm	
	1000620



ClickFit Nylon sleeve	
	1009001

FASTENING MATERIALS



Esdec Mounting screw*	
6,5x19mm	1006519
6,5x55mm	1006555
6,5x60mm	1006560
6,5x63mm	1006563
6,5x70mm	1006570
6,5x75mm	1006575



ClickFit Cross connector	
	1002080



ClickFit Coupling strip	
	1003040

* Dependent on panel height and corresponding end clamp

CLAMPS



ClickFit End clamp CFA*/**	
	1003003



ClickFit End clamp CFB*/***	
	1003004



Esdec Module clamp*	
	1003020



Esdec Mounting screw cap black	
	1006500

* Also available in black

** Suitable for panel thickness: 50,49 - 46,45 - 42,41 - 38,37 - 34,33 - 30,29mm

*** Suitable for panel thickness: 52,51 - 48,47 - 44,43 - 40,39 - 36,35 - 32,31mm



**QUICK
RELIABLE
INNOVATIVE**

**WE ARE AT YOUR
SERVICE**

With our 12 years of experience we know what questions professionals have. Our commercial support and technical support department are happy to assist you.

Esdec

Londenstraat 16
7418 EE Deventer
The Netherlands

☎ +31 850 702 000
✉ info@esdec.com



www.esdec.com